



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/607,820	06/27/2003	Robert J. Sweeney	279.635US1	8407
21186	7590	09/21/2006	EXAMINER	
SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A. P.O. BOX 2938 MINNEAPOLIS, MN 55402			SMITH, TERRI L	
			ART UNIT	PAPER NUMBER
			3762	

DATE MAILED: 09/21/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/607,820

Applicant(s)

SWEENEY, ROBERT J.

Examiner

Terri L. Smith

Art Unit

3762

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 27 June 2003.
- 2a) ☐ This action is FINAL. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-62 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☐ Claim(s) _____ is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☒ Claim(s) 1-62 are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____.

DETAILED ACTION

THE RESTRICTION ELECTION MAILED ON 13 September 2006 HAD THE INCORRECT SHORTENED STATUTORY PERIOD FOR REPLY INDICATED ON THE OFFICE ACTION SUMMARY SHEET (PTOL-326). A REVISED PTOL-326 HAS BEEN SUBMITTED WITH THE CORRECT SHORTENED STATUTORY PERIOD FOR REPLY INDICATED.

Election/Restrictions

1. Restriction to one of the following inventions is required under 35 U.S.C. 121:
 - I. Claims 1–13, drawn to an implantable unit, classified in class 600, subclass 508.
 - II. Claims 14–44, drawn to a method, classified in class 29, subclass 593.
 - III. Claims 45–52, drawn to a system, classified in class 600, subclass 509.
 - IV. Claims 53–62, drawn to an article, classified in class 600, subclass 521.

The inventions are distinct, each from the other because of the following reasons:

2. Inventions of Group II (process) and Groups I and III–IV (apparatus) are related as process and apparatus for its practice. The inventions are distinct if it can be shown that either:
(1) the process as claimed can be practiced by another and materially different apparatus or by hand, or (2) the apparatus as claimed can be used to practice another and materially different process. (MPEP § 806.05(e)). In this case the process as claimed can be practiced by another and materially different apparatus such as not requiring a signal sampled at a predetermined rate, but a plurality of continuous signals read at a random rate.
3. Inventions of Group I (combination) and Groups III–IV (subcombination) are related as combination and subcombination. Inventions in this relationship are distinct if it can be shown

Art Unit: 3762

that (1) the combination as claimed does not require the particulars of the subcombination as claimed for patentability, and (2) that the subcombination has utility by itself or in other combinations (MPEP § 806.05(c)). In the instant case, the combination (Group I) as claimed does not require the particulars of the subcombination (Groups III–IV) as claimed because Group I does not require an input circuit adapted to receive a sampled signal or a generator or means for receiving a data series. The subcombination has separate utility such as not requiring an input circuit to provide a sampled signal and a controller, but rather a signal generator that provides continuous signals directly to a device input port and an output circuit that processes the signals and displays the signals on a monitor.

4. Inventions of Group IV (combination) and Group III (subcombination) are related as combination and subcombination. Inventions in this relationship are distinct if it can be shown that (1) the combination as claimed does not require the particulars of the subcombination as claimed for patentability, and (2) that the subcombination has utility by itself or in other combinations (MPEP § 806.05(c)). In the instant case, the combination (Group IV) as claimed does not require the particulars of the subcombination (Group III) as claimed because Group IV does not require a curvature series generator. The subcombination has separate utility such as not requiring an implantable medical device with means for receiving a data series or a machine performing receiving a data series, but rather a system outputting individual signals to a display monitor.

The Examiner has required restriction between combination and subcombination inventions. Where Applicant elects a subcombination, and claims thereto are subsequently found allowable, any claim(s) depending from or otherwise requiring all the limitations of the

Art Unit: 3762

allowable subcombination will be examined for patentability in accordance with 37 CFR 1.104.

See MPEP § 821.04(a). Applicant is advised that if any claim presented in a continuation or divisional application is anticipated by, or includes all the limitations of, a claim that is allowable in the present application, such claim may be subject to provisional statutory and/or nonstatutory double patenting rejections over the claims of the instant application.

5. Because these inventions are independent or distinct for the reasons given above and there would be a serious burden on the Examiner if restriction is not required because the inventions have acquired a separate status in the art due to their recognized divergent subject matter, restriction for examination purposes as indicated is proper.

6. A telephone call was made to David W. Black on Monday, September 11, 2006 to request an oral election to the above restriction requirement, but did not result in an election being made.

Applicant is advised that the reply to this requirement to be complete must include (i) an election of a species or invention to be examined even though the requirement be traversed (37 CFR 1.143) and (ii) identification of the claims encompassing the elected invention.

The election of an invention or species may be made with or without traverse. To reserve a right to petition, the election must be made with traverse. If the reply does not distinctly and specifically point out supposed errors in the restriction requirement, the election shall be treated as an election without traverse.

Should Applicant traverse on the ground that the inventions or species are not patentably distinct, Applicant should submit evidence or identify such evidence now of record showing the inventions or species to be obvious variants or clearly admit on the record that this is the case. In

Art Unit: 3762

either instance, if the Examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C. § 103(a) of the other invention.

7. Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Terri L. Smith whose telephone number is 571-272-7146. The Examiner can normally be reached on Monday - Friday, between 7:30 a.m. - 4:00 p.m..

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, Angela Sykes can be reached on 571-272-4955. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.


Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



TLS

September 15, 2006

15 September 2006



GEORGE R. EVANISKO
PRIMARY EXAMINER
9/15/06